



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/642,949	08/18/2003	Stefan Bertil Ohlsson	2002B116/2	4296

7590 09/21/2005

ExxonMobil Chemical Company
Law Technology
P. O. Box 2149
Baytown, TX 77522-2149

EXAMINER

NUTTER, NATHAN M

ART UNIT	PAPER NUMBER
----------	--------------

1711

DATE MAILED: 09/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/642,949

Applicant(s)

OHLSSON, STEFAN BERTIL

Examiner

Nathan M. Nutter

Art Unit

1711

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 July 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-60 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-60 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

DETAILED ACTION

Response to Amendment

In response to the arguments presented 8 July 2005, the following is placed in effect.

The rejection of claims 1-60 under 35 U.S.C. 102(e) as anticipated by Whaley, is hereby expressly withdrawn.

The rejection of claims 1-60 under 35 U.S.C. 102(e) as anticipated by Yap et al, is hereby expressly withdrawn.

The following rejections are being maintained.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-60 are rejected under 35 U.S.C. 103(a) as obvious over Whaley.

The reference to Whaley teaches the manufacture of polyethylene films having "high clarity" that may be monolayer and used in shrink-wrap methods for articles, as recited in claims 1-16 and 36-46, or multi-layer and used for shrink-wrapping articles, as recited in claims 17-35 and 51-60. Note column 1 (lines 6-12) for high clarity and column 2 (lines 42-46) and Tables 1-5 for low haze values for the composition. Note

Art Unit: 1711

column 6 (lines 26-41) for the employment of the compositions as single layer or multiple layer films. Component A of the reference is the second component, "(b) low density polyethylene (LDPE)," recited herein, and the Component B of the reference is the first component, "(a) a polyethylene copolymer." The reference teaches that the film composition may comprise a polyethylene copolymer having a Composition Distribution Breadth Index (CDBI) "in the range of from 75 to 90%," overlapping with that claimed herein and a Molecular Weight Distribution (MWD) "in the range of from 3.5 to 15," overlapping at a MWD of 3.5-5.5, at column 2 (lines 36-41). At column 5 (lines 41-49), the patent discloses a Melt Index (MI) "in the range of from 0.1 dg/min to 1000 dg/min" (0.001 g/10 min to 10 g/10 min), which overlaps with that claimed herein at "0.1 g/10 min to 10 g/10 min". The reference teaches the polymer to have a density "in the range of from 0.86 to 0.97 g/cm³," embracing the density range recited herein at column 5 (lines 51-55). The reference teaches the inclusion of "(b) a low density polyethylene (LDPE)" at Examples 1 and 2, column 7, and column 5 (lines 51-55), and that may include the high density polyethylene in concept at the paragraph bridging column 5 to column 6, as recited in instant claims 12, 13, 32, 49 and 50. The weight percentages of inclusion for each component (a) and (b), as recited in instant claims 9-11, 27-30 and 46-48, are shown at column 2 (lines 23-27) to be "Component A comprises between 10 to 90 weight percent polymer blend and Component B comprises between 90 to 10 weight percent of the total weight percent polymer blend." The reference teaches at the Examples and Tables 1 and 2 the manufacture of "(n)ominal 1.0 mil (25.4 μ m) films are made," which embrace those recited in claims 14, 15, 33 and 34. As regards the

Art Unit: 1711

recitations in instant claims 16 and 35, it is submitted that the thickness of the film, as inferred by the term "nominal" is clearly manipulable dependent on orifice size for the extrusion process. The values for the clarity of the film, though not shown by the reference in percentages would be expected to be within those recited and claimed since the reference teaches low haze values in Tables 1-5, "high clarity" at column 1 (lines 6-12) and the composition is employed in the optical arts. Note the Abstract. While the reference is not specific to "puncture resistance damaging energy value(s)" in mJ/ μm , in Table 1, "Puncture Resistance" is shown in units of "in-lb/mil" with attendant high values. The polyethylene copolymer and the low density polyethylene are taught by the reference to have essentially all of the physical characteristics, except for melt index ratio for the polyethylene copolymer, as those recited and claimed herein. The melt index ratio, as well as the clarity values, puncture resistance, plastic force and shrink stress, would be inherently embraced by the reference since all of the other features, including monomeric composition, are shown by the teachings therein. The final uses are shown at column 6 (lines 8-24). As such, the inventions of the instant claims would have been obvious by the teachings of the patent to Whaley, in the absence of any unexpected results, to a practitioner having an ordinary skill in the art.

Claims 1-60 are rejected under 35 U.S.C. 103(a) as obvious over Yap et al.

The reference to Yap et al teaches the manufacture of polyethylene films having "high clarity" that may be monolayer and used in shrink-wrap methods for articles, as recited in claims 1-16 and 36-46, or multi-layer and used for shrink-wrapping articles, as

Art Unit: 1711

recited in claims 17-35 and 51-60. Note the Abstract and column 11 (lines 38-47) for high clarity and Table 2 for very low haze values for the composition. Note column 8 (lines 17-63) for the employment of the compositions as single layer or multiple layer films. Component A of the reference is the first component, "(a) a polyethylene copolymer," and the Component B of the reference is the second component, "(b) low density polyethylene (LDPE)," recited herein. The reference teaches that the film composition may comprise a polyethylene copolymer having a Composition Distribution Breadth Index (CDBI) "especially greater than 70%," embracing with that claimed herein at the paragraph bridging column 5 to column 6. At column 7 (lines 43-64) the reference teaches the polymer (a) may have a Molecular Weight Distribution (MWD) "less than or equal to 3.3," overlapping at a MWD of 2.5-3.3. At the paragraph bridging column 7 to column 8, the patent discloses a Melt Index (MI) "from 0.5 g/10 min to about 20 g/10 min" which overlaps with that claimed herein at "0.5 g/10 min to 10 g/10 min". The reference teaches the polymer to have a density "in the range of from 0.890 to 0.940 g/cm³," embracing the density range recited herein at column 5 (lines 18-35). The reference teaches the inclusion of "(b) a low density polyethylene (LDPE)" at column 2, (lines 53-60). The patent may include the high density polyethylene at column 2 (lines 38-60) since other polymers may be included for (A) as recited in instant claims 12, 13, 32, 49 and 50. The weight percentages of inclusion for each component (a) and (b), as recited in instant claims 9-11, 27-30 and 46-48, are shown at column 8 (lines 18-25) and the Examples. The reference teaches at the paragraph bridging column 10 to column 11, the manufacture of films having thickness of "from about 0.25 mil to about 10 mils (6

Art Unit: 1711

μm to 254 μm),” which embrace those recited in claims 14-16, and 33-35. The values for the clarity of the film, though not shown by the reference in percentages would be expected to be within those recited and claimed since the reference teaches low haze values in Table 2, “high clarity” at the Abstract and the composition is employed in food wrapping materials, where clarity is relied upon to show the product wrapped therein. While the reference is not specific to “puncture resistance damaging energy value(s)” in $\text{mJ}/\mu\text{m}$, in Table 1, “Puncture energy” is shown in units of “Joules” with attendant high values. The polyethylene copolymer and the low density polyethylene are taught by the reference to have essentially all of the physical characteristics, except for melt index ratio for the polyethylene copolymer, as those recited and claimed herein. The melt index ratio, as well as the clarity values, puncture resistance, plastic force and shrink stress, would be inherently embraced by the reference since all of the other features, including monomeric composition, are shown by the teachings therein. The final uses are shown at column 1 (lines 6-17) and column 2 (lines 9-27). As such, the inventions of the instant claims would have been obvious to an artisan of ordinary skill by the teachings of the patent to Yap et al. no unexpected results are shown on the record.

Response to Arguments

Applicant's arguments filed 8 July 2005 have been fully considered but they are not persuasive.

Counsel alleges that “(t)he reliance on inherency to find Applicants' claimed values for melt index ratio, clarity, puncture resistance. plastic force and shrink stress in either Whaley or Yap is misplaced,” urging that “(t)here is not a simple correlation

Art Unit: 1711

between melt index ratio, clarity, puncture resistance, plastic force and shrink stress,” and goes on to say that the “examples discussed...show unpredictability of samples with respect to any correlation ...(and are) at best an invitation to investigate materials generally similar to Applicant’s claimed invention.” This is not deemed to be persuasive since the Examiner is not trying to show correlations between these features, but that these features would be inherent in the compositions as shown by Whaley and Yap et al. applicant’s assertion is that these characteristics change with each variance of material, yet insist that the claims cover these features. The references to Whaley and Yap et al teach the production of resins embraced by the claim recitations, as regard composition. The physical characteristics of these compositions will not change. If these values were critical, they should be written in an independent claim format. Otherwise, counsel has not provided either evidence or clear reasoning why one of ordinary skill would not expect these characteristics to be present, especially since all other parameters are met by the teachings of either reference.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of


Art Unit: 1711

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nathan M. Nutter whose telephone number is 571-272-1076. The examiner can normally be reached on 9:30 a.m.-6:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James J. Seidleck can be reached on 571-272-1078. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Nathan M. Nutter
Primary Examiner
Art Unit 1711

nmn

18 September 2005